

10/043,496

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((renam\$3 near2 register)".ti") and ((renam\$3 near2 register)".ab")) and 'compiler' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
		('first' near2 us\$3) or ('last' near2 us\$3)) and 'compiler' and (register near2 renam\$3) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:25
L3	1	"5758112".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/10 09:55
S2	0	('register'.ab. and 'register'.ti.) and (('first' near2 use) or (last near2 use)) and ((canonical near2 registe\$2) or (starndard near2 registe\$2)) and compiler and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT	OR	OFF	2004/11/09 13:45
S3	0	('register'.ab. and 'register'.ti.) and (('first' near2 use) or (last near2 use)) and ((canonical near2 registe\$2) or (starndard near2 registe\$2)) and compiler and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:14
S9	374	('register'.ab. or 'register'.ti.) and (('first' near3 us\$3) or ('last' near3 us\$3)) and 'compiler' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:17
S10	174	('registers'.ab. or 'registers'.ti.) and (('first' near2 us\$3) or ('last' near2 us\$3)) and 'compiler' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:18
S11	8	('registers'.ab. or 'registers'.ti.) and (('first' near2 us\$3) or ('last' near2 us\$3)) and 'compiler' and (register near2 renam\$3) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:24

S12	57	((('first' near2 us\$3) or ('last' near2 us\$3)) and 'compiler' and (register near2 renam\$3) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:26
S13	54	((('first' near2 us\$3) or ('last' near2 us\$3) near2 register) and 'compiler' and (register near2 renam\$3) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:27
S14	43	((('first' near2 us\$3) or ('last' near2 us\$3) near2 register) and 'compiler' and (register near2 renam\$3) and 'mapped' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:14
S15	13	(record\$3 near2 registe\$3) and ((remap\$4 near2 registe\$2) or (map\$4 near2 registe\$2)) and (allocat\$4 near3 registe\$2) and ('last used') and compiler and (@ad<"20020110" or @prad<"20020110" or @rlad<"20010110"))	US-PGPUB; USPAT	OR	OFF	2004/11/09 11:36
S16	259	((renam\$3 near2 register)".ti" or (renam\$3 near2 register)".ab") and 'compiler' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT	OR	OFF	2004/11/09 11:48
S17	260	((renam\$3 near2 register)".ti" and (renam\$3 near2 register)".ab") and 'compiler' and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:48
S19	131	((((renam\$3 near2 register)".ti") and ((renam\$3 near2 register)".ab")) and 'compiler' and ('map' or 'remap') and(@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:49
S20	49	((((renam\$3 near2 register)".ti") and ((renam\$3 near2 register)".ab")) and 'compiler' and (('map' or 'remap') near2 registe\$2) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 11:51

S24	49	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap') near2 registe\$2) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:15
S25	9	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap') near2 registe\$2) and ('back' near2 registe\$2) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:22
S28	1	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap') near2 registe\$2) and ('time' near2 writ\$3) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 12:16
S29	28	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap' or 'swap') near2 registe\$2) and (time near3 register) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:06
S32	27	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap' or 'swap') near2 registe\$2) and (time near3 register) and ('block') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:07
S33	1	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ((('map' or 'remap' or 'swap') near2 registe\$2) and (time near3 register) and ('block' near2 'code') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:11

S34	2	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and (('map' or 'remap' or 'swap') near2 registe\$2) and (block near2 code) and ('block' near2 'code') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:16
S35	336	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' ('two sets' near3 registe\$2) and (('map' or 'remap' or 'swap') near2 registe\$2) and ('block' near2 'code') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:17
S39	2	((('renam\$3 near2 register)".ti.") and ((('renam\$3 near2 register)".ab.")) and 'compiler' and ('set' near3 registe\$2) and (('map' or 'remap' or 'swap') near2 registe\$2) and ('block' near2 'code') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:19
S40	1	((('renam\$3 near2 register)".ti.") and (register near2 allocat\$4) and 'compiler' and ('set' near3 registe\$2) and (('map' or 'remap' or 'swap') near2 registe\$2) and ('block' near2 'code') and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:24
S43	92	('register mapping') and compiler and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT	OR	OFF	2004/11/09 13:45
S44	5	('register mapping') and compiler and ('rename' near2 registe\$2) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT	OR	OFF	2004/11/09 13:46
S45	5	('register mapping') and compiler and ('rename' near2 registe\$2) and (@ad<"20020110" or @rlad<"20020110" or @prad<"20020110"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/09 13:46